to my wife Vicki

ACKNOWLEDGMENTS

I would like to thank Dr. Aydin Akgerman for serving as the Chairman of my committee and for allowing me the freedom to learn independently. I would also like to thank my entire committee for their support and guidance.

Without the wise advice and encouragement of Dr. J. J. Carberry at the University of Notre Dame, I may have never seriously considered pursuing a graduate degree. I could have never completed this degree without the unwavering support of my wife, parents, family, and fellow students.

Finally, I would like to express my thanks to the U. S. Department of Energy for providing financial support for this project under contract DE–AC22–84PC 70032 and to the Phillips and Amoco Corporations for supporting me financially with fellowships over the course of the project.

TABLE OF CONTENTS

CHAPTER		Page
I	INTRODUCTION	1
	A. Fischer-Tropsch Synthesis	1
	B. Overview of Diffusion Research Program	2
	C. Additional Accomplishments	4
	D. General Outline	5
II	MEASUREMENT OF DIFFUSION COEFFICIENTS	6
	A. Types of Diffusion Coefficients	6
	B. Techniques for Measuring Diffusion Coefficients	9
	C. Taylor Dispersion	10
III	PREVIOUS EXPERIMENTAL WORK	16
IV	THEORY OF PREDICTING DIFFUSION IN LIQUIDS	22
	A. Hydrodynamic Theory	22
	B. Activation Theory	23
	C. Free Volume Theory	24
	D. Kinetic Theory	25
	E. Correlation of Experimental Data with the RHS Theory	31
V	APPARATUS AND PROCEDURE	35
	A. Original Apparatus and Procedure	35
	B. Potential Sources of Error	39
	C. Density From Taylor Dispersion	41
	D. Modifications to the Original Apparatus	42
	E. Special Considerations with Molten Solvents	48
	F. Composition of Solutes and Solvents	49
	G. Experimental Conditions	51
VI	TAYLOR DISPERSION MODEL	52
	A. Mathematical Description of Model	52

B. Handling of Raw Data 55
C. Model Validation Using Generated Data 56
D. Model Validation Using Experimental Data 58
E. Sensitivity Analyses 64
F. Comparison to Other Analysis Methods 68
G. Comparison of Model Results to Literature Values . . 71
H. Selection of Operating Flow Rate 72
1. Flow Criteria Based on Limitations of Taylor's Solution 73
2. Laminar Flow Criterion 75
3. Coiling Effects 75

VII RESULTS AND DISCUSSION 79

A. Diffusion Coefficients Measured During This Work . . 79
B. Correction of Previously Reported Values 90
C. Solvent Density 91
D. Rough Hard Sphere Correlation 93
E. Validation of Correlation Using Literature Data . . . 107
F. Predicting Diffusion Coefficients in Fischer-Tropsch Wax 111

VIII CONCLUSIONS 119

IX RECOMMENDATIONS FOR FUTURE WORK 122

LITERATURE CITED 124

APPENDIX A: FORTRAN CODE FOR TAYLOR DISPERSION MODEL 130

APPENDIX B: EXAMPLE OUTPUT FROM TAYLOR DISPERSION MODEL 145

B.1. CARBON DIOXIDE IN N-EICOSANE AT 222°C . 146
B.2. N-DODECANE IN N-EICOSANE AT 222°C . . . 152
B.3. N-OCTANE IN N-OCTACOSANE AT 100°C . . . 159

APPENDIX C: CORRECTED DIFFUSION COEFFICIENTS IN THE SOLVENTS N-HEPTANE, N-DODECANE, AND N-HEXADECANE 167

APPENDIX D: TABULATION OF LITERATURE DIFFUSION COEFFICIENTS VERSUS THE PREDICTIONS OF EQUATION 7.8 170

VITA 176

LIST OF TABLES

Table		Page
5.1.	Specifications of Taylor Dispersion Apparatus	40
5.2.	Validation of Quick Bubble Injection Technique for Hydrogen in n-Octacosane at 180°C, 200 psia	47
6.1.	Model Results for Fractional Peak Analysis (n-Dodecane in n-Eicosane at 222°C, 200 psia)	63
6.2.	Model Sensitivity to Measurement Uncertainty in the Dispersion Tube Radius (Carbon Dioxide in n-Eicosane, 222°C, 200 psia)	65
6.3.	Model Sensitivity to Measurement Uncertainty in the Dispersion Tube Length (Carbon Dioxide in n-Eicosane, 222°C, 200 psia)	65
6.4.	Model Sensitivity to Measurement Uncertainty in the Dispersion Tube Radius (n-Octane in n-Octacosane, 100°C, 200 psia)	67
6.5.	Model Sensitivity to Measurement Uncertainty in the Dispersion Tube Length (n-Octane in n-Octacosane, 100°C, 200 psia)	67
6.6.	Results of Different Peak Analysis Methods for Replicate Gaseous Solute Peaks (Carbon Dioxide in n-Eicosane, 222°C, 200 psia)	69
6.7.	Results of Different Peak Analysis Methods for Replicate n-Alkane Solute Peaks (n-Octane in n-Octacosane, 100°C, 200 psia)	69
6.8.	Comparison of Calculated D_{12}^{o} Results to Literature Values (Solvent: n-Heptane at 25°C, 1 atm)	72
7.1.	Infinite Dilution Diffusion Coefficients for Alkanes in n-Eicosane, n-Octacosane, and Fischer-Tropsch Wax	81
7.2.	Infinite Dilution Diffusion Coefficients for Gases in n-Eicosane, n-Octacosane, and Fischer-Tropsch Wax	82
7.3.	Density of n-Eicosane, n-Octacosane, and Fischer-Tropsch Wax	92

LIST OF TABLES (Continued)

Table

Page

7.4. Linear Regression of $D_{12}^{o}/\sqrt{T}$ versus Solvent Molar Volume for the Solvents n-Eicosane and n-Octacosane 99

7.5. Linear Regression of $D_{12}^{o}/\sqrt{T}$ versus Solvent Molar Volume for the Solvents n-Heptane, n-Dodecane, and n-Hexadecane 100

7.6. Molecular Diameters and Weights for All Solutes and Solvents . . . 102

7.7. Comparison of Solvent Limiting Molar Volumes 103

7.8. Comparison of FT Wax Diffusion Correlation Predictions to Measured Diffusion Coefficients 116

LIST OF FIGURES

Figure

Page

2.1. Qualitative behavior of diffusion coefficients for a highly ideal binary liquid system. 7

5.1. Schematic diagram of original Taylor dispersion apparatus. 36

5.2. Schematic diagram of data acquisition and control system. 38

5.3. Schematic of redesigned sample delivery system. 44

6.1. Results of model validation using a computer generated peak. . . . 57

6.2. Model validation using a typical gaseous solute peak. 60

6.3. Model validation using a typical n-alkane solute peak. 61

6.4. Model validation using a small n-alkane solute peak. 62

6.5. Effect of tube coiling on the calculated diffusion coefficients. 77

7.1. Diffusion coefficients for dilute n-alkanes in n-eicosane. 83

7.2. Diffusion coefficients for dilute gases in n-eicosane. 84

7.3. Diffusion coefficients for dilute n-alkanes in n-octacosane. 85

7.4. Diffusion coefficients for dilute gases in n-octacosane. 86

7.5. Diffusion coefficients for dilute n-alkanes in Fischer-Tropsch wax. . . 88

7.6. Diffusion coefficients for dilute gases in Fischer-Tropsch wax. 89

7.7. Linear behavior of $D_{12}^{\circ}/\sqrt{T}$ versus V for n-alkane solutes in n-eicosane. 95

7.8. Linear behavior of $D_{12}^{\circ}/\sqrt{T}$ versus V for gaseous solutes in n-eicosane. 96

7.9. Linear behavior of $D_{12}^{\circ}/\sqrt{T}$ versus V for n-alkane solutes in n-octacosane. 97

7.10. Linear behavior of $D_{12}^{\circ}/\sqrt{T}$ versus V for gaseous solutes in n-octacosane. 98

7.11. Comparison of measured diffusion coefficients for liquid n-alkane solutes in n-alkane solvents to the predictions of Equation 7.8. . . . 105

7.12. Comparison of measured diffusion coefficients for gaseous solutes in n-alkane solvents to the predictions of Equation 7.8. . . . 106

LIST OF FIGURES (Continued)

Figure

Page

7.13. Comparison of measured diffusion coefficients for noble gases in n-alkanes (Chen et al., 1982) to predictions of Equation 7.8. . . . 110

7.14. Effect of n-alkane solvent carbon number on the diffusion coefficients of dilute n-alkane solutes. 112

7.15. Effect of n-alkane solvent carbon number on the diffusion coefficients of dilute gaseous solutes. 113