

as purification, impurities, dust, determination - RI 4456, p. 57  
 dispersion - RI 5043, p. 26  
 particle-size determination - RI 5118, p. 45  
 removal - RI 4942, p. 71  
 sampling apparatus - RI 4456, p. 56  
 hydrogen sulfide, removal - RI 4770, p. 56; RI 4942, p. 72  
 oxygen, catalytic removal - RI 4865, p. 72  
 graph - RI 4865, p. 72  
 sulfur, analyses - 1946, p. 42; 1947, pp. 110-112; RI 4456,  
 p. 57; RI 4770, p. 58; RI 5043, p. 12  
 apparatus - 1947, p. 112  
 table - RI 4770, p. 59  
 catalytic removal, apparatus - RI 4865, p. 72  
 contamination - RI 4770, p. 30  
 determination - 1946, p. 42; 1947, pp. 110-112; RI 4456,  
 p. 57  
 apparatus - 1947, p. 112  
 organic, removal - RI 4942, p. 72  
 apparatus - RI 4456, p. 56  
 recovery - RI 4942, p. 37  
 removal - RI 4770, p. 60  
 cost - RI 4456, p. 23  
 thiophene, thermal decomposition - 1947, p. 113  
 isatin test, calibration curves - RI 4770, p. 58  
 methanation - RI 4942, p. 71; RI 5043, p. 27  
 pilot-plant - RI 4456, p. 58; RI 4651, pp. 56-57  
 flow diagram - RI 4456, p. 58  
 scrubbing equipment - RI 5043, p. 28  
 pilot-scale - RI 4456, pp. 59-60; RI 4651, p. 57; RI 4865, pp. 73-74;  
 RI 4942, pp. 71-72; RI 5043, pp. 28-29; RI 5118, pp. 46-48  
 potassium carbonate, for removing carbon dioxide, graph - RI 5118,  
 p. 4  
 table - RI 5118, p. 5  
 triethanolamine for - RI 4865, p. 72  
 graphs - RI 4865, pp. 72, 74  
 hydrogen sulfide removal - RI 4770, p. 56  
 as-purification equipment, Betz-Hellige Turbidimeter, for sulfate determina-  
 tions - 1947, p. 112  
 carbonate scrubber, hot-potassium - RI 4942, p. 44  
 diethanolamine scrubber, performance, graphs - RI 5043, pp. 54-55  
 filter, moving-bed, for removing dust - RI 4651, p. 56  
 fluidizer, for removing hydrogen sulfide and organic sulfur from synthesis  
 gas - RI 4651, p. 56  
 gas-liquid contactor, turbomixer-type, for gas absorption, description -  
 RI 5118, p. 46  
 diagram - RI 5118, p. 47  
 experiments - RI 5118, pp. 46-48  
 plastic filters, for particle-size determinations - RI 5118, p. 45  
 scrubber, high-pressure, dust concentration in, table - RI 5043, p. 28  
 for dust removal - RI 5118, p. 45  
 as-purification plant, operating data - RI 5043, p. 53

Gas-purification processes, investigation - 1947, p. 112  
 pilot-plant studies - 1947, p. 113

Gas-purification unit, construction - RI 4651, p. 14  
 figure - RI 4770, p. 22; RI 4942, p. 18  
 operation - RI 4865, p. 27; RI 4942, p. 19  
 piping and manifolding in - RI 4865, p. 26  
 schematic flow diagram - RI 4865, p. 26

Gas recirculation, cost, graph - RI 5043, p. 4

Gas-sampling apparatus, for powdered-coal gasification, diagram - RI 4456, p. 54

Gas synthesis. See Fischer-Tropsch synthesis.

Gas-treating-and-testing laboratory, analytical work - RI 4651, p. 56  
 control tests - RI 4651, p. 56  
 figure - 1947, p. 110

General American Transportation Corp., pilot-plant experiments, cooperative agreement - RI 5118, p. 46

Generator, pilot-plant, selected coal runs, results, tables - RI 4456, p. 50  
 synthesis-gas, cost estimates - RI 5236, p. 28

German equipment, synthetic liquid fuel - 1947, p. 32

German plants, synthetic liquid fuel, inspection - 1945, pp. 5, 14

German technicians, as consultants - RI 4456, p. 2

German wrapped high-pressure vessel - RI 4456, p. 6

Gilsonite, as source of liquid fuels - RI 5043, p. ix  
 hydrogenation, susceptibility, tables - RI 4456, pp. 34-35  
 hydrogenation products, ultimate analyses, table - RI 4456, p. 35

Gorgas (Ala.) project. See Underground gasification.

H

Hammer mill, two-stage, for coal reduction, diagram - RI 4942, p. 26

Heat and mass transfer, in beds of solids, studies - 1947, pp. 91-92; RI 4651, p. 30

Heat exchangers, double-tube, performance - RI 4865, p. 16

Heat transfer, through fixed, granular reactor beds - 1947, p. 91

Heavy-oil residues, carbonization - RI 5043, p. 41  
 table - RI 5043, p. 42

Heavy oils, from sugar and coal, infrared-spectra comparison, graph - RI 4770, p. 46

Homologation reaction of alcohols. See Oxo reaction.

Hydraulic fracturing. See Underground gasification.

Hydrocarbon gases, byproduct, to replace hydrogen - RI 4456, p. 32  
 polynuclear, composition - RI 5043, p. 16

Hydroformylation. See Oxo reaction.

Hydrogen, for coal-hydrogenation, cost - RI 4456, p. 31  
 compressor-valve manifold, for coal-hydrogenation pilot plant - RI 4456, p. 30  
 conversion to synthetic fuels - RI 4456, p. 23  
 from coal and natural gas, comparative cost, diagram - 1947, p. 44  
 oxygen contamination, danger - RI 4456, p. 2  
 production, economic studies - 1945, p. 2  
 purified and compressed, cost of producing - RI 4651, p. 20  
 table - RI 4651, p. 21

Hydrogenation, bituminous coal, relation of heavy-oil-slurry viscosity, hydrogen absorption, space velocity, and reactor temperature, graph - 1946, p. 20  
yields at high pressure - 1946, p. 21  
carbon monoxide. See Fischer-Tropsch synthesis.  
coal, autoclave studies, catalyst and kinetic - 1945, pp. 8-11; 1946, pp. 20-21; 1947, pp. 89-90; RI 4456, pp. 33-34, 36; RI 4651, pp. 36-38;  
RI 4770, pp. 44-45; RI 4942, pp. 55-57; RI 5043, pp. 13-14; RI 5236,  
pp. 12-13  
bench-scale - RI 4865, p. 57; RI 5043, p. 3  
Bergius-I.G. process - RI 4865, p. 57  
bibliography - RI 4651, p. 41; RI 4770, p. 74  
Bird-DeLaval centrifugation, experiments - RI 5043, p. 40  
table - RI 5043, p. 41  
catalysts. See Catalysts, coal-hydrogenation.  
chemical process - RI 4456, p. 15  
chemistry, review - 1945, p. 14  
commercial plant, cost estimates - 1947, p. 45; RI 4651, pp. vii-ix;  
RI 4865, pp. 38-45  
economic studies - RI 4456, p. 6; RI 4770, p. 26; RI 4865, p. 37  
engineering studies - RI 4456, p. 6; RI 4865, p. 37  
estimate, Bechtel Corp. - RI 4456, p. 7  
design - RI 4456, p. 7  
flow diagrams - RI 4456, p. 14; RI 4865, pp. 42, 46  
tables - RI 4456, pp. 12-13  
30,000-barrel-per-day, plan - 1947, p. 46; RI 4456, p. 6  
schematic arrangement - RI 4456, p. 6  
simplified flow diagram - RI 4456, p. 6  
30-ton-per-hour, economics - RI 4942, p. 30  
material balance - flow diagram - RI 4942, p. 30  
tables - RI 4942, pp. 30-32  
cost, effect of octane rating on, graph - RI 4770, p. 24  
cost estimates - 1947, p. 40; RI 4865, p. v  
delayed coking process - RI 4456, p. 15  
demonstration plant, accident record - RI 4651, p. 24; RI 4770, p. 27  
construction - 1946; p. 30; 1947, pp. 36-38; RI 4456, p. 3  
contract for - 1946, p. 25  
cost estimates - 1947, p. 40; RI 4456, p. 6  
distillation facilities - 1947, p. 34  
engineering design - 1947, pp. 32-38; RI 4456, p. 1  
equipment - 1947, p. 37; RI 4770, pp. 14-15  
experimental work - 1945, pp. 9-11; 1946, pp. 19-21  
foreign - 1947, p. 31  
flexibility - RI 4770, p. iii  
flowsheets - 1945, p. 3; 1947, p. 34; RI 4651, p. xxli  
future program - RI 4942, p. 12  
high-pressure stalls - RI 4651, p. 2  
improvements - RI 4865, p. 13; RI 4942, pp. 12-15  
instrumentation - RI 4865, p. 15  
operation - 1947, pp. 45-48; RI 4456, pp. x, 5; RI 4651, pp.  
1-9; RI 4770, pp. 1-16; RI 4865, pp. 7-23; RI 4942, pp. 1-17;  
RI 5043, pp. vi, 1-3, 35-46

Hydrogenation, coal, demonstration plant, panoramic view - RI 4456, p. 24  
perspective sketch - 1947, p. 34  
plot plans - RI 4456, p. xvii  
process flowsheet - RI 4456, p. xvii  
processing data - RI 4865, p. 1  
products - RI 4865, p. 61  
proposed - 1946, pp. 26-27  
pumphouse - RI 4456, p. xxii  
test operations - RI 4651, p. 1  
welded construction, use - RI 4865, p. 16  
direct, laboratory-scale tests - RI 4456, p. xi  
distillation, extractive, for separating products - RI 5043, p. 10  
dry, bench-scale tests - 1947, p. 87  
engineering difficulties - RI 4456, p. 32  
European plants - 1946, p. 29  
flash-distillation process - RI 4456, p. 15  
flash-distillation unit, for removing solids, improvements - RI 4865,  
p. 17  
use - RI 4865, p. 16  
flow diagrams, for training program - RI 4456, p. 5  
fluidized - RI 4651, p. 35; RI 4770, p. 41; RI 4865, pp. 57-59;  
RI 4942, p. 50  
tables - RI 4770, pp. 41-42  
high-pressure, summary of 1950 studies - RI 4770, p. vi  
high-temperature, continuous-unit apparatus - RI 5043, p. 12  
pilot-plant studies - RI 5043, pp. 12-13; RI 5118, pp. 10-13;  
RI 5236, pp. 11-12  
hydrocarbonization, pilot-plant studies - RI 4456, p. 32; RI 4770,  
pp. 41-43; RI 4865, p. 57; RI 4942, p. 50; RI 5236, p. 13  
kinetics - RI 4942, p. 55; RI 5043, pp. 7-14  
laboratory research - 1946, p. 20; RI 4456, pp. 31-33  
liquefaction rate - RI 4456, p. 36  
liquid and vapor phase, diagram - RI 4942, p. 2  
liquid-phase, analytical data, tables - RI 4865, p. 4; RI 4942, p. 6  
demonstration-plant runs - RI 4770, pp. 1-8; RI 4942, pp. 1-6  
operation - RI 4865, p. 3; RI 4942, p. 3  
processing data, table - RI 4942, p. 4  
yield data, tables - RI 4865, p. 3; RI 4942, pp. 4-5  
pilot-plant runs - RI 4456, p. 31; RI 4651, p. 35; RI 4770, p. 39  
maximum throughput and hydrogen consumption - 1946, p. 19  
mineral matter, effect on - RI 5236, p. iii  
miscellaneous studies - RI 4456, p. 14  
oxygen elimination - RI 4770, p. 47  
paste-preheater temperatures, graphs - RI 4651, p. 22  
pilot-plant - 1947, p. 86  
high-pressure - 1947, p. 94  
liquid-phase - RI 4456, p. 30  
modifications - 1946, p. 19  
products, viscosity, graph - 1947, p. 86  
process, description - RI 4942, p. vi  
reaction mechanism - RI 4651, p. 36

Hydrogenation, coal, residue, oil recovery from - 1946, p. 21  
    sodium hydroxide, effect on - RI 5236, p. iii  
    thermal efficiency - 1947, p. 38; RI 4456, p. 25  
    ultrasonic waves, effect, investigation - RI 4456, p. 36  
    vapor-phase, analyses, tables - RI 4865, p. 6; RI 4942, p. 10; -  
        RI 5043, p. 46  
            bench-scale studies - RI 4770, p. 40  
            demonstration-plant runs - RI 4770, pp. 9-12  
            middle-oil refining - RI 4770, p. 40; RI 4865, p. 60  
            operating conditions and yields, table - RI 4865, p. 5;  
                RI 4942, pp. 7-9  
            pilot-plant runs - RI 4651, p. 35  
            yields, table - RI 5043, p. 45  
        water requirements for - RI 4456, p. 14  
raw materials, amenability of different coals to - 1945, p. 8  
    coals, consumption, table - RI 4456, p. 8  
    final products, table - RI 4456, p. 8  
    plant costs using, tables - RI 4456, p. 9  
    preparation, economic studies - RI 4942, p. 26  
        engineering studies - RI 4942, p. 26  
    suitability tests - RI 4456, p. 7  
coal paste, preparation - RI 4865, p. 13  
    equipment - 1947, p. 94  
coal types, autoclave studies - 1945, pp. 88-89; 1947, pp. 88-89;  
    RI 4651, pp. 38-39; RI 4942, pp. 50-52; RI 5043, pp. 13-14  
coke-oven gas - 1947, p. 88  
Illinois coal, high-volatile, analysis - RI 4456, p. 11  
    liquid-phase run - RI 4865, p. 11  
    products, table - RI 4942, p. 52  
Kentucky coal, products, table - RI 4942, p. 51  
lignite, Beulah, effect of pressure on - RI 4770, p. 44  
    effect of temperature on - RI 4770, p. 44  
Velva, analyses and yields, tables - RI 5043, pp. 37-39  
    conversion rates, graph - RI 5043, p. 14  
    effect of catalysts on - RI 5043, p. 14  
    experimental filtration data, table - RI 5043, p. 44  
organic compounds - RI 5236, p. 15  
Pittsburgh Bed coal, analyses, tables - RI 4942, p. 2; RI 5043, p. 36  
    yields - 1945, pp. 11-12; RI 5043, p. 36  
Rock Springs coal, conversion-rate graph - RI 5043, p. 14  
    effect of catalysts on - RI 5043, p. 14  
    exploratory runs - RI 4865, p. 7  
    laboratory results, table - RI 4456, p. 34  
Utah coal, cost estimate - 1947, p. 42  
West Virginia coal, liquid-phase run - RI 4865, p. 8  
    vapor-phase run - RI 4865, p. 10  
Hydrogenation. See also Asphalt, Gilsonite, Petroleum residuum, Residual oil,  
    Shale oil, and Tar.  
Hydrogenation equipment, coal, American - RI 4865, p. v  
    batch-distillation - RI 4456, p. 36; RI 5043, pp. 10-11  
    Bird centrifuge, for removing solids, improvements - RI 4865, p. 17  
        use - RI 4865, p. 16

Hydrogenation equipment, coal, breaking in - RI 4456, p. 5  
centrifuging equipment, heavy-oil-slurry - 1947, p. 94  
coal-preparation plant - RI 4651, p. 8; RI 4942, p. 27  
colloid mill - RI 5118, pp. 11-12  
commercial, engineering studies - RI 4651, p. 22  
compressor, high-pressure booster - RI 5118, pp. 13-14  
    high-ratio centrifugal, design - RI 5043, p. 25  
    engineering studies - RI 5118, p. 59  
hydrogen - RI 4770, p. 6  
hydrogen-recycle - RI 4651, p. 6  
    inert-gas - RI 4770, p. 6  
connections, high-pressure, design - RI 4942, p. 59  
converter, 100-ton, for demonstration plant - RI 4456, p. 7  
    use of bed of catalyst granules in - 1946, p. 19  
    vapor-phase, diagram - 1947, p. 40  
corrosion and erosion - RI 4865, p. 17  
design - 1947, p. 92  
expansion engine, for heavy-oil-let-down valves, substitution -  
    RI 4456, p. 2  
flash-distillation plant - RI 4651, p. 8  
flash-distillation unit, for separating oils - RI 4770, p. 4;  
    RI 4942, p. 51  
flow-meter assembly, high-pressure, design - RI 4942, p. 61  
for freezing and synthesizing organic compounds - RI 4651, p. 38  
high-pressure stall, construction - 1947, p. 38  
high-pressure valves - RI 4456, p. 10  
hot stall, liquid-phase - RI 4865, p. 6  
hydrogen compressor, demonstration plant, RI 4456, p. 10  
injection pump, high-pressure - RI 4770, p. 6; RI 4865, p. 9;  
    RI 4942, p. 12  
    for demonstration plant, fabrication - 1947, p. 35  
    improvements - RI 4865, p. 14  
instruments needed - RI 4942, p. 59  
liquid phase, performance - RI 5043, p. 40  
    reactor - RI 4456, p. 30  
    unit diagrams - RI 4770, p. xiv; RI 4865, p. 10  
        operating data - RI 4651, p. 6  
        pressure testing - RI 4651, p. 5  
        runs - RI 4651, p. 8  
liquid pumps, for pilot plant - RI 4456, p. 30  
paste-injection pump, cartridge-type chamber for, diagram - RI 4651,  
    p. 4  
paste-preparation plant - RI 4651, p. 8  
pilot-plant - RI 4942, p. 68; RI 5043, p. 13  
    modifications - 1946, p. 19  
piping materials, high-pressure, improvements - RI 4865, p. 16  
plant converter, full-scale, proposed design, diagram - RI 4651, p. 22  
preheater, paste, for commercial-size operation, design - 1947, p. 35  
product receiver, quick-opening - RI 4942, p. 61  
pumps, coolant-oil-circulation, improvement - RI 4865, p. 31  
    high pressure-low volume, diagram - RI 4942, p. 59