



DE90002794


COPY

NTIS[®]
Information is our business.

CATALYST AND REACTOR DEVELOPMENT FOR A LIQUID PHASE FISCHER-TROPSCH PROCESS: FINAL REPORT FOR TASK 4

AIR PRODUCTS AND CHEMICALS, INC.
ALLENTOWN, PA

1989



U.S. DEPARTMENT OF COMMERCE
National Technical Information Service

DOE/PC/30021--T22

DE90 002794

CATALYST AND REACTOR DEVELOPMENT
FOR A
LIQUID PHASE FISCHER-TROPSCH PROCESS

Final Report
for
Task 4

Prepared for the
United States Department of Energy
under
Contract No. DE-AC22-80PC30021

Air Products and Chemicals, Inc.
Allentown, PA 18195

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

TABLE OF CONTENTS

	<u>PAGE</u>
EXECUTIVE SUMMARY.	iii
1.0 INTRODUCTION.	1
2.0 OBJECTIVE	3
3.0 RESULTS AND DISCUSSION.	5
3.1 Design Basis	5
3.2 Process Description.	5
3.2.1 Bubble-Column Reactor	5
3.2.2 Packed Column	6
3.2.3 Distillate Product Recovery	6
3.2.4 Wax Withdrawal.	7
3.2.5 Reactor Temperature Control	8
3.3 Heat and Material Balance Procedures	8
3.3.1 Method of Calculation	9
3.4 Product Yield Bases.	9
3.4.1 Case 1.	10
3.4.2 Case 1A	10
3.4.3 Case 2.	11
3.4.4 Case 2A	11
3.4.5 Yield Comparisons	12
3.5 Heat and Material Balance Results.	12
3.5.1 Flow Rates.	12
3.5.2 Heat Duties	13
3.6 Bench-Scale Fischer-Tropsch Reactor (BFTR) Design.	14
3.7 Reactor Design	15
3.7.1 Choice of Flow Regime	15
3.7.2 Choice of Reactor Diameter.	17
3.7.3 Heat Transfer: Internal vs. External	17
3.7.4 Choice of Reactor Height.	20
3.7.5 Mode of Operation	20
3.7.6 Hydrodynamic Considerations	21
3.7.7 Details of the Reactor Design	21

TABLE OF CONTENTS

(continued)

	<u>PAGE</u>
3.8 Wax Withdrawal System.	23
3.8.1 Thermosyphon.	23
3.8.2 Filtration.	24
3.8.3 Sedimentation	27
3.8.4 Volume of Wax Withdrawal System	30
3.8.5 Need for Additional Data.	31
3.9 Product Fractionation Design	32
3.9.1 Packed Column	32
3.9.2 Distillate Recovery	33
3.9.3 Pressure Let Down	33
3.10 Ancillary Vessel Specifications.	34
3.10.1 The Heat Exchanger Reservoir.	35
3.10.2 Condensate Receiver	35
3.10.3 Wax Receiver.	36
3.10.4 Slurry Mix Tank	36
3.10.5 Capacitance Probe Housing	37
3.10.6 Vapor-Liquid Separator.	37
3.10.7 Distillate Reservoir.	38
3.10.8 Water Reservoir	38
3.11 Temperature Control.	38
3.12 Process Controllers.	40
4.0 COST ESTIMATE	41
4.1 Major Equipment Costs.	41
4.2 Additional Equipment Cost.	42
4.3 Labor Construction Costs	42
4.4 Operating Costs.	42
5.0 FUTURE PROGRAMS	44
6.0 REFERENCES.	45
7.0 TABLES.	46
8.0 FIGURES	67