

DOE/PC/60019--9

DE86 011522

**DOE/PC/60019--9
Dist. Category UC-90D**

**TWO-STAGE PROCESS FOR CONVERSION OF SYNTHESIS GAS
TO HIGH QUALITY TRANSPORTATION FUELS**

FINAL REPORT

REPORT PREPARED BY: J. C. W. KUO

CONTRIBUTORS:

F. P. DI SANZO	T. MOLINA
W. E. GARWOOD	D. M. NACE
K. M. GUPTA	J. SMITH
C. K. LANG	N. TARALLO
T. M. LEIB	J. F. VAN KIRK
M. MALLADI	

**MOBIL RESEARCH AND DEVELOPMENT CORPORATION
PAULSBORO, NEW JERSEY 08066**

OCTOBER, 1985

**PREPARED FOR THE UNITED STATES
DEPARTMENT OF ENERGY
UNDER CONTRACT NO. DE-AC22-83PC60019**

DISCLAIMER

This report was prepared as an account of work sponsored by the United States Government. Neither the United States nor the United States Department of Energy, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability of responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, mark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

TABLE OF CONTENTS

	<u>Page</u>
List of Tables	vi
List of Figures	viii
Abstract	xv
I. Objective and Scope of Work	I-1
II. Summary	II-1
A. Background	II-1
B. Results	II-2
III. Introduction	III-1
IV. Task 1 - Process Studies in Two-Stage Bench-Scale Unit	IV-1
A. Bench-Scale Unit Modifications	IV-1
B. Preliminary Evaluation of a New Fischer-Tropsch Catalyst in a Small Bubble-Column Reactor	IV-5
C. Other Supporting Studies	IV-12
D. Run CT-256-6	IV-22
E. Run CT-256-7	IV-36
F. Run CT-256-8	IV-50
G. Run CT-256-9	IV-61
H. Run CT-256-10	IV-72
I. Run CT-256-11	IV-76
J. Improvement of Catalyst Suspension in Bubble-Columns Using Upward Slurry Circulation - Mathematical Model Calculations	IV-82
K. Bench-Scale Unit Modifications and Run CT-256-12	IV-85

L.	Run CT-256-13	IV-94
V.	Task 2 - Scoping Studies of Fischer-Tropsch Reactor-Wax Upgrading	V-1
A.	Reactor-Wax Vacuum Fractionation	V-1
B.	Thermal Cracking of a Fischer- Tropsch Reactor-Wax Vacuum Bottom	V-2
C.	Other Scoping Studies	V-7
VI.	Task 3 - Product Evaluation	VI-1
A.	Reactor-Wax Analyses by Gel Permeation Chromatography	VI-1
B.	Modified Gas Chromatography for Reactor-Wax Analyses	VI-1
C.	Field Ionization Mass Spectrometry for Reactor-Wax Analyses	VI-4
D.	Analyses of Oxygenates in Fischer- Tropsch Reactor-Waxes	VI-18
E.	Routine Product Analyses	VI-19
VII.	Task 4 - Slurry Fischer-Tropsch Reactor Hydrodynamic Studies	VII-1
A.	Literature Review	VII-1
B.	Pressure Drop Across Orifice- Type Feed-Gas Distributors	VII-11
C.	Scoping Studies Using Small Hot-Flow Bubble-Columns	VII-16
D.	Design and Construction of Two Tall, Hot-Flow, Non-Reacting Bubble-Columns	VII-44
E.	Hydrodynamic Studies Using 5.1 and 10.2 cm ID Tall, Hot-Flow Bubble-Columns	VII-52
F.	Evaluation of Continuous Stirred-Tank Reactors Using Mathematical Models	VII-92
VIII.	Task 5 - Development of Conceptual Process Schemes	VIII-1
A.	Introduction	VIII-1

B.	Design Base Data for Slurry Fischer-Tropsch/ZSM-5 Unit	VIII-2
C.	Conceptual Process Schemes	VIII-6
IX.	Recommendations for Future Studies	IX-1
X.	Nomenclature	X-1
XI.	References	XI-1
	Appendix A, Summary of Data from Run CT-256-6	
	Appendix B, Summary of Data from Run CT-256-7	
	Appendix C, Summary of Data from Run CT-256-8	
	Appendix D, Summary of Data from Run CT-256-9	
	Appendix E, Summary of Data from Run CT-256-11	
	Appendix F, Summary of Data from Run CT-256-12	
	Appendix G, Summary of Data from Run CT-256-13	
	Appendix H, Summary of Fischer-Tropsch Catalysts	
	Appendix I, Summary of Slurry Fischer-Tropsch Product Breakdowns	

LIST OF TABLES

<u>Table</u>	<u>Title</u>	<u>Page</u>
IV-1	Testing of Sedigraph 5000E Particle Size Analyzer with Standard Samples	IV-16
IV-2	Major Events in Run CT-256-6	IV-25
IV-3	Average Gas Holdup From Purgeless DP-System (Run CT-256-6)	IV-34
IV-4	Major Events in Run CT-256-7	IV-37
IV-5	Improved Performance of Repaired Distributor Plate	IV-49
IV-6	Major Events in Run CT-256-8	IV-52
IV-7	Evidence for Catalyst Settling (Run CT-256-9)	IV-66
IV-8	Major Events in Run CT-256-13	IV-95
V-1	Thermal Cracking of a Fischer-Tropsch Reactor-Wax Vacuum Bottom	V-3
V-2	Thermal Cracking of a Fischer-Tropsch Reactor-Wax Vacuum Bottom - Conversion	V-6
VI-1	Composition of Fischer-Tropsch Reactor-Waxes	VI-3
VI-2	Composition of a Fischer-Tropsch Reactor-Wax (Run CT-256-4)	VI-5
VI-3	FIMS Analysis of Reactor-Waxes	VI-11
VI-4	Results of FIMS Analysis of Reactor-Waxes	VI-17
VI-5	Total Oxygenates by High Temperature Liquid Chromatography Method	VI-20
VII-1	Summary of Bubble-Column Hydrodynamic Studies	VII-3
VII-2	Correlations for Gas Holdup and Bubble Size (Shah et al., 1982)	VII-8
VII-3	Gas Distributor Designs in F-T Bubble-Columns	VII-10
VII-4	Comparison of Calculated and Experimental Pressure Drops Through Orifices	VII-13

LIST OF TABLES (Continued)

<u>Table</u>	<u>Title</u>	<u>Page</u>
VII-5	Physical Properties of Bubble-Column Mediums	VII-36
VII-6	Design Basis of Two Tall, Hot-Flow, Non-Reacting Columns	VII-47
VII-7	Summary of Dynamic Gas-Disengagement Results (0.5 mm 3-Hole Distributor)	VII-73
VII-8	Dynamic Gas-Disengagement Results (2 mm Orifice Distributor)	VII-75
VII-9	Physical Properties of Liquid Mediums Used in Hot-Flow Studies	VII-83
VII-10	Physical Properties of Liquid Mediums	VII-86
VII-11	Parameters Used in Fischer-Tropsch CSTR Mathematics Model Calculations	VII-97
VIII-1	Slurry Fischer-Tropsch/ZSM-5 Process Conditions	VIII-3
VIII-2	First-Stage Product Yields	VIII-4
VIII-3	Second-Stage Product Yields	VIII-5

LIST OF FIGURES

<u>Figure</u>	<u>Title</u>	<u>Page</u>
IV-1	Simplified Flow Diagram of Two-Stage Pilot Plant for Synthesis Gas Conversion	IV-2
IV-2	Schematic Diagram of New Continuous Settling System for Catalyst/Wax Separation	IV-3
IV-3	Schematic Arrangement of New DP-Cells for Liquid Level and Gas Holdup Measurement	IV-4
IV-4	Synthesis Gas Conversion and Methane and Ethane Yield (Run CT-225-112)	IV-7
IV-5	Cumulative Reactor-Wax Production (Run CT-225-112)	IV-9
IV-6	Pretreatment of Fischer-Tropsch Catalyst I-D (Run CT-225-113)	IV-11
IV-7	Synthesis Gas Conversion and Methane and Ethane Yield (Run CT-225-113)	IV-13
IV-8	Particle Size Distribution of Fresh Catalyst I-B Measured by Sedigraph 5000E Particle Size Analyzer	IV-15
IV-9	Simulated Effect of Fischer-Tropsch Kinetic Constant	IV-18
IV-10	Simulated Effect of Fischer-Tropsch Kinetic Constant	IV-19
IV-11	Simulated Effect of Water-Gas Shift Kinetic Constant	IV-20
IV-12	Simulated Effect of Water-Gas Shift Kinetic Constant	IV-21
IV-13	Simulated Effect of Temperature	IV-23
IV-14	Pretreatment of Fischer-Tropsch Catalyst I-D (Run CT-256-6)	IV-27
IV-15	Synthesis Gas Conversion and Methane and Ethane Yield (Run CT-256-6)	IV-28

LIST OF FIGURES (Continued)

<u>Figure</u>	<u>Title</u>	<u>Page</u>
IV-16	Comparison of Initial Fischer-Tropsch Catalyst Activities	IV-30
IV-17	Fresh Fischer-Tropsch Catalyst Addition (Run CT-256-6)	IV-31
IV-18	Cumulative Fischer-Tropsch Reactor-Wax Production (Run CT-256-6)	IV-33
IV-19	Slurry Fischer-Tropsch Bubble-Column Catalyst Concentration Profiles (Run CT-256-6)	IV-35
IV-20	Pretreatment of Fischer-Tropsch Catalyst I-B (Runs CT-256-7 and -4)	IV-40
IV-21	Synthesis Gas Conversion and Methane and Ethane Yield (Run CT-256-7)	IV-42
IV-22	Cumulative Reactor-Wax Production (Run CT-256-7)	IV-43
IV-23	Reactor-Wax Yield Versus Methane Yield	IV-44
IV-24	Slurry Bubble-Column Catalyst Concentration Profiles (Run CT-256-7)	IV-48
IV-25	Accumulated Slurry from Below Distributor (Run CT-256-7)	IV-47
IV-26	Activation of Fischer-Tropsch Catalyst I-C (Runs CT-256-8 and -5)	IV-54
IV-27	Slurry Bubble-Column Catalyst Concentration Profiles (Run CT-256-8)	IV-55
IV-28	Synthesis Gas Conversion and Methane and Ethane Yield (Run CT-256-8)	IV-56
IV-29	Aging of Catalyst I-C (Run CT-256-8)	IV-60

LIST OF FIGURES (Continued)

<u>Figure</u>	<u>Title</u>	<u>Page</u>
IV-30	Pretreatment of Fischer-Tropsch Catalyst I-B (Run CT-256-9)	IV-63
IV-31	Synthesis Gas Conversion and Methane and Ethane Yield (Run CT-256-9)	IV-65
IV-32	Gas Holdup Profiles (Run CT-256-9)	IV-67
IV-33	Gas Holdup Profiles (Run CT-256-9)	IV-69
IV-34	Catalyst Concentration Profiles (Run CT-256-9)	IV-70
IV-35	Photographs of Slurry Samples (Run CT-256-9)	IV-71
IV-36	Activation of Fischer-Tropsch Catalyst I-D (Run CT-256-10)	IV-74
IV-37	Comparison of Initial Fischer-Tropsch Catalyst Activities	IV-75
IV-38	Synthesis Gas Conversion and Methane and Ethane Yield (Run CT-256-11)	IV-78
IV-39	Catalyst Concentration Profiles Before Settling (Run CT-256-10 and -11)	IV-80
IV-40	Catalyst Concentration Profile After Settling (Run CT-256-11)	IV-81
IV-41	Estimated Effect of Liquid Circulation on Catalyst Suspension	IV-84
IV-42	Estimated Effect of Slurry Return Location on Catalyst Suspension	IV-86
IV-43	Estimated Effect of Particle Size on Catalyst Suspension	IV-87
IV-44	Catalyst Settling During Run CT-256-11	IV-88
IV-45	Pretreatment of Fischer-Tropsch Catalyst I-D (Run CT-256-12)	IV-90

LIST OF FIGURES (Continued)

<u>Figure</u>	<u>Title</u>	<u>Page</u>
IV-46	Synthesis Gas Conversion and Methane and Ethane Yield (Run CT-256-12)	IV-92
IV-47	Cumulative Reactor-Wax Production (Run CT-256-12)	IV-93
IV-48	Synthesis Gas Conversion and Methane and Ethane Yield (Run CT-256-13)	IV-96
IV-49	Cumulative Reactor-Wax Production (Run CT-256-13)	IV-98
IV-50	Gas Holdup Profiles (Run CT-256-13)	IV-99
IV-51	Photographs of Slurry Samples (Run CT-256-13)	IV-101
V-1	Thermal Cracking of F-T Reactor-Wax	V-4
V-2	Thermal Cracking of F-T Reactor-Wax	V-5
V-3	Thermal Cracking of F-T Reactor-Wax	V-8
VI-1	Gas Chromatogram of Run CT-256-4 Reactor-Wax	VI-2
VI-2	Schulz-Flory Distribution for First-Stage Fischer-Tropsch Products (Run CT-256-4)	VI-6
VI-3	Schulz-Flory Distribution for First-Stage Fischer-Tropsch Products (Run CT-256-5)	VI-7
VI-4	FIMS Spectrum of Run CT-256-3 Reactor-Wax (Wide Range)	VI-8
VI-5	FIMS Spectrum of Run CT-256-4 Reactor-Wax (Wide Range)	VI-9
VI-6	FIMS Spectrum of Run CT-256-5 Reactor-Wax (Wide Range)	VI-10
VI-7	FIMS Spectrum of Run CT-256-5 Reactor-Wax (High Resolution)	VI-13

LIST OF FIGURES (Continued)

<u>Figure</u>	<u>Title</u>	<u>Page</u>
VI-8	Carbon-Number Distribution of Run CT-256-5 Reactor-Wax by FIMS	VI-14
VI-9	FIMS Spectrum of Run CT-256-7 Reactor-Wax (Wide Range)	VI-16
VII-1	Bubble-Column Flow-Regime Map	VII-1
VII-2	Calculated Pressure Drops Across Orifice Distributors in Pilot Plant Column	VII-14
VII-3	Comparison of Experimental Versus Calculated Pressure Drop (1 mm Orifice)	VII-15
VII-4	Effect of Sintered-Plate Pore Size on Gas Holdup	VII-18
VII-5	Effect of Orifice Diameter on Gas Holdup (Single-Orifice Distributor)	VII-20
VII-6	Gas Holdup in Small Hot-Flow Column Using Reactor-Wax	VII-22
VII-7	Bubbles Produced by 0.25 mm Orifice Distributor	VII-24
VII-8	Bubbles Produced by 100 micron Sintered-Metal-Plate Distributor	VII-26
VII-9	Foam Produced by 100 micron Sintered-Metal-Plate Distributor	VII-27
VII-10	Gas Holdup in Short Hot-Flow Column	VII-28
VII-11	Gas Holdup vs. Jet Velocity	VII-30
VII-12	Gas Holdup vs. Weber Number	VII-31
VII-13	Gas Holdup at Constant Jet Velocity (Short Hot-Flow Column)	VII-32

LIST OF FIGURES (Continued)

<u>Figure</u>	<u>Title</u>	<u>Page</u>
VII-14	Effect of Liquid Medium on Gas Holdup	VII-34
VII-15	Effect of Reactor-Wax Type on Gas Holdup in Short Hot-Flow Column	VII-35
VII-16	Effect of Different Gas Distributors on Gas Holdup (Small Hot-Flow Column)	VII-38
VII-17	Effect of Column Diameter on Gas Holdup	VII-40
VII-18	Schematic Diagram of DP-Cell Arrangement on Unit CT-225	VII-41
VII-19	Effect of Pressure and Gas Type on Gas Holdup	VII-43
VII-20	Simplified Flow Diagram of Hot-Flow, Non-Reacting Bubble Column (Unit CT-284)	VII-45
VII-21	Engineering Flow and Piping and Instrumentation Diagram, Unit CT-284	VII-49
VII-22	Gas Holdups with Hexadecane in Tall, Hot-Flow Column (5.1 cm ID Column)	VII-51
VII-23	Effect of Distributor Type	VII-54
VII-24	Comparison of Orifice Distributors	VII-56
VII-25	Comparison of Orifice Distributors	VII-58
VII-26	Comparison of Orifice Distributors	VII-59
VII-27	Comparison of Orifice Distributors	VII-60
VII-28	Bubbles Produced by 20 micron Sintered-Metal-Plate	VII-62
VII-29	Bubble Flow Patterns Produced by 0.5 mm 3-Hole Distributor at 1.2 cm/s	VII-63
VII-30	Slug Produced by 0.5 mm 3-Hole Distributor at 4 cm/s	VII-64
VII-31	Gas Holdup Profiles (1 mm Orifice Distributor)	VII-66
VII-32	Effect of Static Liquid Height (1 mm Orifice Distributor)	VII-67

LIST OF FIGURES (Continued)

<u>Figure</u>	<u>Title</u>	<u>Page</u>
VII-33	Overall Gas Holdup (Run CT-256-7)	VII-68
VII-34	Dynamic Gas-Disengagement	VII-71
VII-35	Dynamic Gas-Disengagement	VII-74
VII-36	Effect of Static Liquid Height	VII-77
VII-37	Effect of Pressure (20 micron SMP)	VII-79
VII-38	Effect of Pressure (1 mm Orifice)	VII-80
VII-39	Effect of Temperature on Gas Holdup (20 micron SMP)	VII-81
VII-40	Effect of Liquid Medium (10.2 cm ID Column)	VII-82
VII-41	Effect of Liquid Medium (5.1 cm ID Column)	VII-85
VII-42	Gas Holdup Profiles	VII-88
VII-43	Effect of Column Diameter	VII-90
VII-44	Effect of Column Diameter	VII-91
VII-45	Effect of Mass Transfer Resistance on Conversion for a Series of CSTR's	VII-98
VII-46	Comparison of BC and Series of CSTR's	VII-99
VII-47	Estimated Intrinsic F-T Kinetic Constant	VII-102
VIII-1	Slurry Fischer-Tropsch/ZSM-5 Reactors and Reactor-Wax Separation	VIII-8
VIII-2	Slurry Fischer-Tropsch Catalyst Pretreatment	VIII-9
VIII-3	Slurry Fischer-Tropsch/ZSM-5 Reactor Section Plan	VIII-10
VIII-4	Product Distillation Section	VIII-15