

BIBLIOGRAPHY

Akita, K. and Yoshida F., "Bubble size, interfacial area and liquid-phase mass transfer coefficient in bubble columns", *Ind. Eng. Chem. Process Des. Dev.*, **13**, 84-91 (1974).

Alonso, M. and Finn, E.J., *Physics*, Addison-Wesley Publishing Company, Reading, Massachusetts (1982).

Anderson, F.G. and R.G. Rice, "Local turbulence model for predicting circulation rates in bubble columns", *AIChE J.*, **35**, 514-518 (1989).

Angelidou, C., Psimopoulos, M. and Jameson, G.J., "Size distribution functions of dispersions", *Chem. Eng. Sci.*, **34**, 671-676 (1979).

Azbel, D., *Two-phase flows in chemical engineering*, Cambridge University Press, Cambridge (1972).

Batchelor, G.K., *The theory of homogeneous turbulence*, Cambridge University Press, Cambridge (1982).

Behnken, D.W., Horowitz, J. and Katz, S., "Particle growth processes", *Ind. Eng. Chem. Fundam.*, **2**, 212-216 (1963).

Bhavaraju, S.M., Russell, T.W.F. and Blanch, H.W., "The design of gas sparged devices for viscous liquid systems", *AIChE J.*, **24**, 454 (1978).

Bird, R.B., Stewart, W.E. and Lightfoot, E.N., *Transport Phenomena*, John Wiley & Sons, New York (1960).

BIBLIOGRAPHY

- Blass, E., "Formation and coalescence of bubbles and droplets", *Inter. Chem. Eng.*, **30**, 206-221 (1990).
- Blenke, H., "loop reactors", *Avd. Biochem. Eng.*, **13**, 121-214 (1979).
- Bredesen, A.M., "SPUNG -- goals and strategies -- what we have achieved and where we are going", *SPUNG Seminar 1989*, Trondheim, Norway, (1989).
- Buchholz, R., Zaktzewski, W. and Schügerl, K., "Techniques for determining the properties of bubbles in bubble columns", *Int. Chem. Eng.*, **21**, 180-187 (1981).
- Burgess, J.M. and Calderbank, P.H., "The measurement of bubble parameters in two-phase dispersions — I, the development of an improved probe technique", *Chem. Eng. Sci.*, **30**, 743-750 (1975).
- Carra, S. and Morbidelli, M., "Gas-liquid reactors", *Chemical reaction and reactor engineering*, (edited by Carbery, J.J and Varma, A.), Marcel Dekker, Inc., New York, 545 (1987).
- Chappelear, D.C., *J. Colloid Sci.*, **16**, 186 (1963).
- Chatzi, E., Gartielides, A.D. and Kiparissides, C., "Generalized model for prediction of the steady-state drop size distributions in batch stirred vessels", *Ind. Eng. Chem. Res.*, **28**, 1704-1711 (1989).
- Chatzi, E. and Kiparissides, C., "Dynamic simulation of bimodal drop size distributions in low-coalescence batch dispersion systems", *Chem. Eng. Sci.*, **47**, 445-456 (1992).
- Chesters, A.K. and Hofman, G., ""Bubble coalescence in pure liquids", *Appl. Sci. Res.*, **38**, 353 (1982).
- Chesters, A.K., "The modelling of coalescence processes in fluid-liquid dispersions", *Trans. Inst. Chem. Eng.*, **69**, 259-270 (1991).

Chesters, A.K. and Hofman, G., "Bubble coalescence: the inertia-controlled low-Weber-number case", *Chesters, personal communication, unpublished*, Laboratory of Aero- and Hydrodynamics, Delft University of Technology, The Netherlands, (1993).

Chisti, M.Y., *Airlift Bioreactors*. Elsevier Applied Science, London (1989).

Clark, N.N., Atkinson, C.M. and Flemmer, R.L.C., "Turbulent circulation in bubble columns", *AIChE J.*, **33**, 515-518 (1987).

Clift, R., Grace, J.R. and Weber, M.E., *Bubbles, drops and particles*, Academic Press, London (1978).

Collins, S.B. and Knudson, J.B., "Drop-size distributions produced by turbulent pipe flow of immiscible liquids", *AIChE J.*, **16**, 1072 (1970).

Cook, T.L. and Harlow, F.W., "Vortices in bubbly two phase flow", *Int. J. Multiphase Flow*, **12**, 35-61 (1986).

Coulaogloou, C.A. and Tavlarides, I.I., "Description of interaction processes in agitated liquid-liquid dispersions", *Chem. Eng. Sci.*, **32**, 1289-1297 (1977).

Crabtree, J.R. and Bridgwater, J., "Bubble coalescence in viscous liquids", *Chem. Eng. Sci.*, **26**, 839-851 (1971).

Daly, J.G., Patel, S.A. and Bukur, D.B., "Measurement of gas holdup and Sauter mean bubble diameters in bubble column reactors by dynamic gas disengagement method", *Chem. Eng. Sci.*, **47**, 3647-3654 (1992).

Datta, R., "Eddy viscosity and velocity distribution in turbulent pipe flow revisited", *AIChE J.*, **39**, 1107-1112 (1993).

Deckwer, W.-D. and Schumpe, A., 1987, "Bubble columns--the state of the art and current trends", *Int. Chem. Eng.*, **27**, 405-422 (1987).

BIBLICGRAPHY

Deckwer, W.-D., *Bubble column reactors*, John Wiley and Sons, New York (1992).

Deissler, R.G., "Analysis of turbulent heat mass transfer, mass transfer and friction in smooth tubes at high Prandtl and Schmidt numbers", *NACA Technical Report*, (1210), 69 (1955).

Drahoš, J., Bradka, F. and Punčochář, M., "Fractal behavior of pressure fluctuations in a bubble column", *Chem. Sci. Eng.*, **47**, 4069-4075 (1992).

Driest, E.R. van, *J. Aeronaut. Sci.*, **23**, 1007 (1956).

Fan, L., *Gas-Liquid-Solid Fluidization Engineering*, Butterworths, Boston (1989).

Fan, L.-S. and Tsuchiya, K., *Bubble wake dynamics in liquids and liquid-solid suspensions*, Butterworth-Heinemann, Boston (1990).

Franz, K., T. Börner, H.J. Kantorek and R. Buchholz, "Strömungsstruktur in blasensäulen", *Chem.-Ing.-Tech.*, **56**, 154-155 (1984).

Fredrickson, A.G. and Tsuchiya, H.M., "Continuous propagation of micro-organisms", *AIChE J.*, **9**, 459-468 (1963).

Friedlander, S.K., *Smoke, dust and haze*, John Wiley & Sons, New York (1977).

Geary, N.W. and Rice, R.G., "Bubble size prediction for rigid and flexible spargers", *AIChE J.*, **37**, 161-168 (1991).

Geary, N.W. and Rice, R.G., "Circulation and scale-up in bubble columns", *AIChE J.*, **38**, 76-82 (1992).

Hansen, R., "New methanol technology", *EUROGAS '90*, (Proceedings from the European applied research conference on natural gas, edited by Brendeng, E., Magnussen, B.F. and Onsager, O.T.), TAPIR Publishers, Trondheim, 99-119 (1990).

Hesketh, R.P., Etchells, A.W. and Russell, T.W.F., "Experimental observations of bubble breakage in turbulent flow", *Ind. Eng. Chem. Res.*, **30**, 845-851 (1991a).

Hesketh, R.P., Etchells, A.W. and Russell, T.W.F., "Bubble breakage in pipeline flows", *Chem. Eng. Sci.*, **46**, 1-9 (1991b).

Hikita, H., Asai, S., Tanigawa, K., Segawa, K. and Kitao, M., "Gas holdup in bubble column", *Chem. Eng. J.*, **20**, 59 (1980).

Hills, J.H., "Radial non-uniformity of velocity and voidage in a bubble column", *Trans. Inst. Chem. Eng.*, **52**, 1-9 (1974).

Hills, J.H. and Darton, R.C., "The rising velocity of a large bubble in a bubble swarm", *Trans. Inst. Chem. Eng.*, **54**, 258-264 (1976).

Hinze, J.O., "Fundamentals of the hydrodynamic mechanism of splitting in dispersion process", *AIChE J.*, **1**, 289-295 (1955).

Hinze, J.O., *Turbulence*, McGraw-Hill, New York (1959).

Hughmark, G.A., "Drop breakup in turbulent pipe flow", *AIChE J.*, **17**, 1000 (1971).

Hulbert, H.M. and Katz, S., "Some problems in particle technology: A statistical mechanical formation", *Chem. Eng. Sci.*, **19**, 555-574 (1964).

Jakobsen, H.A., "On the modelling and simulation of bubble column reactors using a two-fluid model", *Dr. Ing. Thesis*, The Norwegian Institute of Technology, Norway, (1993).

Jeelani, S.A.K. and Heartland, S., "Effect of approach velocity on binary and interfacial coalescence", *Trans. I. Chem. Eng.*, **69**, 271-281 (1991a).

BIBLIOGRAPHY

- Jeelani, S.A.K. and Heartland, S., "Collision of oscillating liquid drops", *Chem. Eng. Sci.*, **46**, 1807-1814 (1991b).
- Jin, G.T. and Kim, S.D., "Bubble properties and pressure fluctuations of a single bubble in water", *J. Chem. Eng. Japan*, **23**, 523-530 (1990).
- Kawase, Y. and M. Moo-Young, "Theoretical prediction of gas holdup in bubble columns with newtonian and non newtonian fluids", *Ind. Eng. Chem. Res.*, **26**, 933-937 (1987).
- Kirkpatrick, R.D. and Lockett, M.J., "The influence of approach velocity on bubble coalescence", *Chem. Eng. Sci.*, **29**, 2363-2373 (1974).
- Kraume, M. and Zehner, P., "Modellierung der flüssigkeitsdynamik in blasensäulen", *Chem.-Ing.-Tech.*, **61**, 332-333 (1989).
- Koide, J., S. Morooka, K. Ueyama, A. Matsuura, F. Yamashita, S. Jwamoto, Y. Kato, H. Inoue, M. Shigeta, S. Suzuki and T. Akehata, "Behavior of bubbles in large scale bubble columns", *J. Chem. Eng. Japan*, **12**, 98-104 (1979).
- Kuboi, R., Komasawa, I. and Otake, T., "Behavior of dispersed particles in turbulent liquid flow", *J. Chem. Eng. of Japan*, **5**, 349-355 (1972a).
- Kuboi, R. Komasawa, I. and Otake, T., "Collision and coalescence of dispersed drops in turbulent liquid flow", *J. Chem. Eng. Japan*, **5**, 423-424 (1972b).
- Lahey, R.T., Jr., "The analysis of phase separation and phase distribution phenomena using two-fluid models", *Nuclear Eng. and Design*, **122**, 17-40 (1990).
- Lee, C.-H., Erickson, L.E. and Glasgow, L.A., "Bubble breakup and coalescence in turbulent gas-liquid dispersions", *Chem. Eng. Commun.*, **59**, 65-84 (1987a).
- Lee, C-H., Erickson, L.E. and Glasgow, L.A., "Dynamics of Bubble Size Distribution in Turbulent Gas-Liquid Dispersions", *Chem. Eng. Commun.*, **61**, 181-195 (1987b).

Leistner, G., Müller, G., Sell, G. and Bauer, A., *Chem. -Ing. -Tech.*, **51**, 288 (1979).

Levich, V.G., *Physicochemical hydrodynamics*, Prince Hall, Englewood Cliffs, NJ (1962).

Marks, C.H., "Measurements of the terminal velocity of bubbles rising in a chain", *J. Fluids Eng.*, **95**, 17-22 (1973).

Marmur, A. and Rubin, E., "A theoretical model for bubble formation at an orifice submerged in an inviscid liquid", *Chem. Eng. Sci.*, **31**, 453 (1976).

Martucci, G., "Rising velocity of a swarm of spherical bubbles", *Ind. Eng. Chem. Fund.*, **4**, 224 (1965).

Maxey, M.R. and Riley, J.J., "Equation of motion for a small rigid particle in a non-uniform flow", *Phys. Fluids*, **26**, 883-889 (1983).

Menzel, T., "Die Reynolds-schubspannung als wesentlicher parameter zur modellierung der strömungsstruktur in blasensäulen und airliftschlaufenreaktoren", *Ph. D. Thesis*, VDI Verlag, Düsseldorf, (1990).

Menzel, T., T. Weide, O. Staudacher, O. Wein and U. Onken, "Reynolds shear stress for modeling of bubble column reactors", *Ind. Eng. Chem. Res.*, **29**, 988-994 (1990).

Mihail, R. and Straja, S., "A theoretical model concerning bubble size distributions", *Chem. Eng. J.*, **33**, 71-77 (1986).

Miyahara, T., Kaseno, S. and Takahashi, T., "Studies on chains of bubbles rising through quiescent liquid", *Can. J. Chem. Eng.*, **62**, 186-193 (1984).

Miyahara, T., Tsuchiya, K. and Fan, L.-S., "Effect of turbulent wake on bubble-bubble interaction in a gas-liquid-solid fluidized bed", *Chem. Eng. Sci.*, **46**, 2368-2373 (1991).

BIBLIOGRAPHY

- Miyauchi, T. and C.N. Shyu, "Fluid flow in bubble columns (Japanese)", *Kagaku Kogaku*, **34**, 958-964 (1970).
- Mizushima, T. and Ogino, F., "Eddy viscosity and universal velocity profile in turbulent flow in a straight pipe", *J. Chem. Eng. of Japan*, **3**, 166-170 (1970).
- Nambiar, D.K.R., Kumar, R., Das T.R. and Gandhi, K.S., "A new model for the breakage frequency of drops in turbulent stirred dispersions", *Chem. Eng. Sci.*, **47**, 2989-3002 (1992).
- Narsimhan, G., Gupta, J.P. and Ramkrishna, D., "A model for transitional breakage probability of droplets in agitated lean liquid-liquid dispersions", *Chem. Eng. Sci.*, **34**, 257-265 (1979).
- Onsager, O.T. and Andersen, M.S., "The coproduction of methanol and acetic acid", *EUROGAS '90*, (Proceedings from the European applied research conference on natural gas, edited by Brendeng, E., Magnussen, B.F. and Onsager, O.T.), TAPIR Publishers, Trondheim, 157-164 (1990).
- Onsager, O.T., Wittgens, B. and Soraker, P., "The activation of Cu-chromite by methoxide cocatalyst, the liquid conversion of syngas to methanol", *Proceedings of VI international symposium on relations between homogeneous and heterogeneous catalysis*, Pisa, Italy, 112 (1989).
- Patel, S.A., Daly, J.G. and Bukur, D.B., "Holdup and interfacial area measurements using gas disengagement", *AIChE J.*, **35**, 931-942 (1989).
- Pavlov, V.P., "Liquid circulation in a batch bubbler (Russ.)", *Khim. Promst.*, **9**, 698-700 (1965).
- Prince, M.J. and Blanch, H.W., "Bubble coalescence and Breakup in air-sparged bubble columns", *AIChE J.*, **36**, 1485-1499 (1990).
- Randolph, A.D. and Larson, M.A., "Transient and steady state size distributions in continuous mixed suspension crystallizers", *AIChE J.*, **8**, 639-645 (1962).

Randolph, A.D., "A population balance for countable entities", *Canadian J. Chem. Eng.*, **42**, 280-281 (1964).

Randolph, A.D., "Effect of crystal breakage on crystal size distribution in a mixed suspension crystallizer", *Ind. Engng Chem. Fundam.*, **59**, 58 (1969).

Rannie, W.D., "Heat transfer in turbulent shear flow", *J. Aeronaut. Sci.*, **23**, 485 (1956).

Reichardt, H., "Vollständige Darstellung der turbulenten Geschwindigkeitsverteilung in glatten Rohr", *Z. Angew. Math. Mech.*, **31**, 208-219 (1951).

Rice, R.G. and Geary, N.W., "Prediction of liquid circulation in viscous bubble columns", *AICHE J.*, **36**, 1339-1348 (1990).

Rietema, K. and S.P.P. Ottengraf, "Laminar liquid circulation bubble street formation in a gas-liquid system", *Trans. Inst. Chem. Eng.*, **48**, T54-T62 (1979).

Rietema, K., "Science and technology of dispersed two-phase systems", *Chem. Eng. Sci.*, **37**, 1125-1150 (1982).

Riquarts, H.-P., "Strömungsprofile, Impuls austausch und Durchmischung der flüssigen Phase in Blasensäulen", *Chem.-Ing.-Tech.*, **53**, 60-61 (1981).

Ross, S.L., Verhoff, F.H. and Curl, R.L., "Droplet breakage and coalescence processes in an agitated dispersion 2. Measurement and interpretation of mixing experiments", *Ind. Eng. Chem. Fundam.*, **17**, 101 (1978).

Roterud, P., Rytter, E. and Solbakken, Å., "Statoil's GMD, gas to middle distillates process", *EUROGAS '90*, (Proceedings from the European applied research conference on natural gas, edited by Brendeng, E., Magnussen, B.F. and Onsager, O.T.), TAPIR Publishers, Trondheim, 143-156 (1990).

Saffman, P.G. and Turner, J.S., "On the collision of drops in turbulent clouds", *J. Fluid Mech.*, **1**, 16-30 (1956).

- Sasaki, H., Matsukawa, H., Usui, S. and Matijevic, E., "A new method for measuring the size distribution of gas bubbles in aqueous media", *J. Colloid and Interface Sci.*, **113**, 500-502 (1986).
- Scheele, G.F. and Leng, D.E., "An experimental study of factors which promote coalescence of two colliding drops suspended in water - I", *Chem. Eng. Sci.*, **26**, 1867-1879 (1971).
- Schumpe, A. and Grund, G., "The gas disengagement technique for studying gas holdup structure in bubble columns", *Can. J. Chem. Eng.*, **64**, 891-896 (1986).
- Schügerl, K., Lücke, J. and Oels, U., "Bubble column bioreactors", *Adv. Biochem Eng.*, **7**, 1-84 (1977).
- Shah, Y.T., Kelkar, B.G., Godbole, S.P. and Deckwer, W.-D., "Design parameters estimations for bubble column reactors", *AIChE J.*, **28**, 353-379 (1982).
- Shah, Y.T. and Sharma, M.M., "Gas-liquid-solid reactors", *Chemical reaction and reactor engineering*, (edited by Carbery, J.J and Varma, A.), Marcel Dekker, Inc., New York, 667 (1987).
- Shinnar, R., "On the behavior of liquid dispersions in mixing vessels", *J. Fluid Mech.*, **10**, 259-275 (1961).
- Shinnar, R. and Kuo, J.C.W., *DOE Report FE-2766-13*, (Oct. 1978).
- Sittig, W., Faust, U., Präve and Scholderer, J., *Chem. Ind.*, **30**, 713 (1979).
- Sleicher, C.A., *Trans. ASME*, **80**, 693 (1958).
- Sleicher, C.A., "Maximum stable drop size in turbulent flow", *AIChE J.*, **8**, 471 (1962).

Sriram, K. and Mann, R., "Dynamic gas disengagement: a new technique for assessing the behavior of bubble columns", *Chem. Eng. Sci.*, **32**, 571-580 (1977).

Steinemann, J. and Buchholz, R., "Application of an electrical conductivity microprobe for the characterization of bubble behavior in gas-liquid bubble flow", *Part. Charact.*, **1**, 102-107 (1984).

Svendsen, H., Lysberg, M., Sivakumar, S. and Torvik, R., "Reactor modeling, advances and shortcomings", *SPUNG Seminar 1989*, Trondheim, Norway, (1989).

Tadaki, T. and Maeda, S., "On the shape and the velocity of single air bubbles rising in various liquids", *Kagaku Kogaku*, **25**, 254-264 (1961).

Tennekes, H. and Lumley, J.L., *A First Course in Turbulence*, The MIT Press, Cambridge (1972).

Torvik, R. and H.F. Svendsen, "Modelling of slurry reactors a fundamental approach", *Chem. Eng. Sci.*, **45**, 2325-2332 (1990).

Towell, G.D., Strand, C.P. and Ackerman, G.H., "Mixing and mass transfer in large diameter bubble column", *AIChE-Inst. Chem. Eng. Symp. Ser.*, (No. 10), 91-96 (1965).

Ueyama, K. and Miyauchi, T., "Properties of recirculating turbulent two phase flow in gas bubble columns", *AIChE J.*, **25**, 258 (1979).

Ueyama, K., Morooka, S., Koide, K., Kaji, H. and Miyauchi, T., "Behavior of gas bubbles in bubble columns", *Ind. Eng. Chem. Process Des. Dev.*, **19**, 592-599 (1980).

Ulbrecht, J.J. and Baykara, Z.S., "Significance of the central plume velocity for the correlation of liquid phase mixing in bubble columns", *Chem. Eng. Commun.*, **10**, 165 (1981).

BIBLIOGRAPHY

- Ullaland, G., "Undersøkelse av boblestørrelsесfordeling og strømningsforhold i slurryreaktor", *M. S. Thesis*, The Norwegian Institute of Technology, Norway, (1991).
- Valentas, K.J. and Amundson, N., "Breakage and coalescence in dispersed phase systems", *Ind. & Engng Chem. Fundam.*, **5**, 533-542 (1966).
- Vermeer, D.J. and Krishna, R., "Hydrodynamics and mass transfer in bubble columns operating in the churn-turbulent regime", *Ind. Eng. Chem. Process Des. Dev.*, **20**, 475-482 (1981).
- Viswanathan, K. and D.S. Rao, "Inviscid liquid circulation in bubble columns", *Chem. Eng. Commun.*, **25**, 133-155 (1984).
- Walter, J.F. and Blanch, H.W., "Liquid circulation patterns and their effect on gas holdup and axial mixing in bubble columns", *Chem. Eng. Commun.*, **19**, 243-246 (1983).
- Walter, J.G. and Blanch, H.W., "Bubble break-up in turbulent flows", *Chem. Eng. J.*, **32**, B7 (1986).
- Wang, T., "The door opens wider to international oil companies", *World oil*, **214**, (6), 49-52 (1993).
- Westlake, R., "Large-scale continuous production of single cell protein", *Chem. - Tech. - Ing.*, **58**, 934-937 (1986).
- Yamakoshi, T., *Graduation Thesis*, Dept. Chem. Eng., University of Tokyo, Japan, (1969).
- Yang, Z., Rustemeyer, U., Buchholz, B. and Onken, U., "Profile of liquid flow in bubble columns", *Chem. Eng. Commun.*, **49**, 51-67 (1986).
- Yao, B.P., Zheng, C., Gasche, H.E. and Hofman, H., "Bubble behavior and flow structure of bubble columns", *Chem. Eng. Process.*, **29**, 65-75 (1991).

Yu, Y.H. and Kim, S.D., "Bubble properties and local liquid velocity in the radial direction of concurrent gas-liquid flow", *Chem. Eng. Sci.*, **45**, 313-320 (1990).