

INDEX - MICROFILM - REEL 104  
(Orig. Ident. AD1(K) 48A-C 65)

- R. 5 . . . Physical data of iron carbonyls and nickel carbonyls
- R. 6 . . . The "Egersdorf" heavy oil installation
- M. 1. T1 147- Specification for delivery of aviation fuel "E4" in  
503 connection with the use of domestic aviation petrol  
June 1939
- M. 6 Testing of lubricating oil additive 13. (I.G.-891) to  
14 DB 605 W and X and connection with 10 as engine in  
work Genshagen
- M. 7 Assorted reports, various dates 1943, on lead removal  
of aviation fuel B 4. (Using hydrochloric acid,  
Alumimum chloride, activated charcoal)
- M. 10 Test report No. 4, August 20th 1943. Lubrication  
test on Almen-Hieland machine
- M. 15 17 April 1943. Report on investigations of corrosion  
by leaded aviation fuels B 4 on valve steel. Part II  
17.4.43
- M. 17 Specification of Military lubricant - Pents Lubricat-  
ing Oil
- M. 19 Report No. 99 by Intava on lubricant Z 2 1016;  
(synthetic) aviation engine lubricant (in BMW 1  
cylinder). 28 March 1941. (Chemical and physical  
data on test runs)
- M. 20 Test report. May 21st 1940. Secret. Dilution of lu-  
bricants with fuels in DB601M engine
- 20.8.43
- 28.3.41
- 21.3.40

REPORT NO.

|           |   |            |
|-----------|---|------------|
| M. 26     | Testing report. August 20th, 1940.. Dilution of lubricant with fuel in DE601N engine  | 20.8.40    |
| Q. 2      | Graph-Vapour tension of "Aminen" Aliphatic Hydrocarbons   | 27.9.44    |
| Q. 4.12   | Investigations of captured English and American fuels   | 20.3.44    |
| Q. 5.     | Technical orders of the general of the technical command.<br>Fuels for aero engines   | 9.6.44     |
| Q. 10     | The "Siebel and Kehl" wear test machine (Improved model).<br>(Drawings 2 sheets photographic reproduction)                            | 3.4.44     |
| Q. 11     | German research installation for aviation, E. V. institute for fuel research. Contribution on non-fluid lubrication                   | 1.9.44     |
| Q. 13     | Evaluation of lubricating oil additive J. G. 1586/80 BS on DB 605 engines in the Genshagen  | 11.7.44    |
| Q. 18 9   | Evaluation of the lubricating oil additive D 2. (Diphenyl Phosphate) and J 3 (J.G.891 in the DB 605 engine                            | 19.1.44    |
| Q. 19 11a | Testing lubricants E. V. - 1943   | 6.4.44     |
| Q. 20     | Quality limitations of Diesel fuels for supply to the Navy  | 10.6.43    |
| Q. 22     | Technical supply orders for run-out fuel  | 12.8.43    |
| Q. 24     | Evaluation of lubricants (2 copies)   | 18.2.43    |
| Q. 26     | German research installation for aviation, E. V. institute for fuel research  |            |
|           | Sulphur content and lubricating ability of Aero-Engine oils   | 28.7.43    |
| Q. 32     | Lubricant evaluation in the B M W Single Cylinder engine. Oil L. 15082. Aero-engine oil "Red Band" - Special additive. Report No. 193 | 9.5.41     |
| Q. 33     | Reports and correspondence. 1939-41. Diamler-Benz A.G.  | 1939-41    |
| Q. 37A    | Miscellaneous   |            |
| Q. 36A    | Review of the evaluation results of the standard lubricant SS 1170 P  | 22.11.39   |
| Q. 30     | Semi-annual correlation of knock engines. (VV92)  | April 1941 |
| Q. 9      | Lubrication of internal combustion engines  | 10.7.44    |
| Q. 8      | Quality limitations of VT 341   | 3.4.44     |
| N. 1      | Most suitable methods for the testing of solid fuels for automotive generators  | Sept.1944  |

REPORT NO.

- N. 9      Leuna Mixture-Aral-Esso-Dynamin-Deropan-Olexin-Amiagin-  
              Beaulin-Various mixtures
- N. 12     Hydrogenation Dr. Nedelauss
- N. 15     Miscellaneous correspondence and reports 1941 - 42. Special  
              test by coal and oil laboratory