

INDEX - MICROFILM REEL 253
(Original designation BM-39)

Index to microfilm of Dr. Pier's files.

XVIII. Lubrication and lubricants.

<u>ITEM NO.</u>		<u>FRAMES</u>
1	Data for Rumanian lube oil and paraffin production.	1-27
2	Today's conception of propane process.	28-33

T.O.M. Reel 253

<u>ITEM NO.</u>		<u>FRAMES</u>
3	"Paraflow".	34-43
4	Literature survey of ethylene lube oils.	44-47
5	Addition of sulfur to ester lube oils.	48
6	Report on research on propylene lube oils.	49-50
7	Patent situation on propane operations outside of Germany.	51-78
8	Use of additives in auto lube oils.	79-89
9	Calculation basis for hydrogenation aviation motor oil from propane operations.	90-92
10	Making propylene lubricants	93-96
11	Production of aviation motor oil from Nienhagen oil of Nerag.	97-109
12	Drying oils by high frequency electric current.	110-111
13	Concerning aviation motor oil.	112-113
14	Hydrogenation of petroleum paraffin for lube oil synthesis.	114-134
15	Test of lube oil.	135-136
16	Synthetic steam cylinder oil.	137-139
17	High pressure research on synthetic lubes.	140-145
18	On processing propylene to lube oil.	146-149
19	Hydrogenation processing of hard wax (from Fischer-Tropsch) over 8376 at 250 atm.	150-172

T.O.M. Réel 253

<u>ITEM NO.</u>		<u>FRAMES</u>
20	Synthetic aviation motor oils from alpha-olefins C ₆ -C ₁₈ .	173-197
21	Propylene lube oil.	198-201
22	Steam cylinder oil by hydrogenation.	202-204
23	Analysis of what constitutes lubricating ability of an oil.	205-213
24	Talk on synthetic steam cylinder roll.	214-215
	XIX. Mechanical data.	
11	Sizing letdown vessels and bursting-disk-lines.	216-220
	XX. Patents.	
1	Process for the concentration of oxidizing ores and polar "non-ores" through flotation.	221-224
2	Process for separating hydrocarbon oils into their constituent parts.	229-231
	XXI. Physical data and phenomena, etc.	
1	Adsorption on solid substances.	232-238
2	Use of electron diffraction in the investigation of gas adsorption.	239-240
3	On the problem of ball lightning.	241-246
4	Calculating the Joule Thompson effect for hydrogen.	247-257
5	Abrasion and lubrication.	258-260
6	On the Nernst heat theorem.	261

T.O.M. Reel 253

<u>ITEM NO.</u>		<u>FRAMES</u>
7	On the structure of fluids.	262-263
8	Light absorption and constitution of some polycyclic hydrocarbons.	264-270
9	Roentgen investigation of Mo-Al ₂ O ₃ and active Al ₂ O ₃ catalysts.	271-273
10	Research on new explosives.	274-275
11	Stability of fluorides in presence of H ₂ S and H ₂ O in view of their catalytic action.	276-278
12	Theory on the formation of higher hydrocarbons from methane in presence of sulfur or sulfur compounds.	279-284
13	The problem of back-firing in large arc-rectifiers, and the collateral problems of anode material, dirtying electrodes, and deposition in the after glow process.	285-291
14	Literature survey on arsenic and its compounds.	292-296
15	New knowledge in the field of the aluminum chloride synthesis.	297-300
16	Exhaust température and combustion temperature with gasoline of more and less aromatic content.	301
17	Twenty-five years of Nernst thermodynamics.	302-304
18	Molecule models.	305-308
19	Physico-chemical discussions at Göttingen.	309-310
20	Catalyst research through electron diffraction.	311

T.C.M. Reel 253

<u>ITEM NO.</u>		<u>FRAMES</u>
21	Thermodynamics of pyridene synthesis according to the Nernst approach formula.	312-316
22	Today's knowledge of super-conductivity at low temperatures.	317-319
23	Crystal chemistry of silicates.	320-329
24	Atomic structure of WS_2 and MoS_2 lattices.	330-334
25	Chronology of thermodynamics.	335-338
26	A short basis for the electrochemical work of Nernst.	339-343
27	Use of supersonic phenomena in measuring technique in physical chemistry.	344-348
28	Fluorescent colors of several substances in paraffin oil with normal and ultraviolet light.	349
29	Constitution of the hydrogenation products by light absorption (detection of coronene, pyrene).	350-352
30	Fluorescence and phosphorescence.	353
31	Recovery of pyridene.	354-357
32	New researches into lignin chemistry.	358-362
33	Synthesis of acetic acid. Thermodynamic calculations.	363-365
34	Possibility of reducing ice-fog formation in engine exhaust.	366-374
35	Free radicals.	375-388

T.O.M. Reel 253

XXII. Properties of materials.

<u>ITEM NO.</u>		<u>FRAMES</u>
1	Isomeric paraffins.	389-402
2	Inspection of Politz fuel oil.	403-408
3	Quality of petroleum products.	409
4	Quality of comparison of cracked and hydrogenated gasoline from bituminous coal B-middle oil.	410-432

XXIV. Shale oil.

1	Low pressure treatment of concentrate from Estonia shale.	433-443
2	TTH operation on Lurgi carbonization tar from shale.	444-456
3	The Rostin process.	457-458
4	Autoclave work on Estonian shale.	459-460
5	Research on concentrating Estonian shale.	461-464
6	Data for shale oil hydrogenation.	465
7	Test on Swedish shale oil.	466-469
8	Concerning Estonian oil shale.	470-472
9	Ashfree bitumen from Estonian shale flotation concentrate.	473-474
10	Hydrogenation research on shales and shale concentrates.	475-479
11	Concentrating the organic material in Estonian shale.	480-481
12	Autoclave treatment of Messel mine shale.	482-483

T.O.M. Reel 253

<u>ITEM NO.</u>		<u>FRAMES</u>
13	Disassembly of the Estonian shale oil industry.	484-496
	XXV. Tar hydrogenation, etc.	
1	Research report on running coal tar from bituminous coal at high throughputs to make excess heavy oil at 600 atm. in 10 liter converter, 1940.	497-520
2	First evaluation on hydrogenation of primary bitumen.	521-523
3	Running of the vacuum distillate from the cold catchpt heavy oil at 600 atmospheres over fixed catalyst 8376 to produce Diesel oil with a low pour point.	524-528
4	The Blummer pressure carbonization operation.	529-531
5	Research with sulfur as liquid-phase catalyst in one liter converter.	532-537
6	Research report on running Welheim pitch mixture at high rates to make excess heavy oil at 600 atmospheres in 10 liter converter.	538-566
7	Research report on running Brux tar to gasoline and middle oil only at 600 and 250 atm. in 10 liter converters.	567-623
8	Research report on running topped Ruhr coke oven tar to gasoline and middle oil at 600 atm.	624-662
9	Research report on running a mixture of topped coke oven tar to an excess of heavy oil in 10 liter converter.	663-696

T.O.M. Reel 253

<u>ITEM NO.</u>		<u>FRAMES</u>
10	Research report on running low temperature carbonization tar to heavy oil excess at 600 atm. in 10 liter converter.	697-730
11	Research report on running bituminous coal tar mixture for Politz at 600 atm. to gasoline and middle oil.	731-754
12	Research on some special bituminous materials (acid rosin bitumen and soft asphalt).	755-759
13	Running Middle German brown coal tar at 600 atm.	760-767
14	Talk on Brux tar conversion.	768-769
15	Influence of available hydrogen and volatiles on the low temperature carbonization tar yield and dependence of the hydrogenability on low temperature tar yield, available hydrogen, and volatiles.	770-772
16	Petroleum residue hydrogenation.	773-776
17	Fuel oil from coke oven tar.	777-779
18	Discussion on bituminous coal hydrogenation and low temperature carbonization tar hydrogenation.	780-781
19	Working up petroleum pressure distillate over 7878 and 6434 to 87 grade fuel.	782-794
20	Running "Böhlen tar at 250 atm. in 10 liter converter.	795-807
21	Discussion concerning tar stalls feeding Brux tar.	808-812

T.O.M. Reel 253

XXVI. Vapor phase - hydrogenation.

<u>ITEM NO.</u>		<u>FRAMES</u>
1	Relation between acid and basic constituents of middle oil from bituminous coal hydrogenation in the saturation step over alumina catalyst.	813-817
2	Methyl cyclopentane from benzol or cyclohexane.	818-820
3	Aromatization of middle oil from bituminous coal hydrogenation at 600 atm.	821-824
4	New research (Jan. 1941) on saturation of middle oil from bituminous and brown coals over Mo catalysts in 1 liter converter.	825-847
5	New saturation catalyst tests (Jan. 1942).	848-857
6	Hydrogenation of brown coal middle oil over Ruhröl catalyst.	858-863
7	Hydrogenation of bituminous coal middle oil from Upper Silesian coal in 1 liter converter. One-step conversion at 600 atm. with and without DHD.	864-890
8	Saturation and splitting of various raw materials available at Brux.	891-903
9	Splitting of 8376-B middle oil from semi-technical plan in small scale plant.	904-909
10	Hydrogenation of benzol to cyclohexane.	910-911
11	Shutdown of a vapor phase stall.	912-913
12	Research on saturation of bituminous coal middle oil over 7846 W 250 catalyst.	914-927

T.O.M. Reel 253

<u>ITEM NO.</u>		<u>FRAMES.</u>
13	Research to refine aviation gasoline and other products over Al_2O_3 -W-Ni catalyst.	928-936
14	Investigation run in small plant parallel to semi-technical work in stall 805. Long-time test of 600 atm. splitting of middle oil over fuller's earth catalyst.	937-950
15	600 atm. aromatization of liquid phase oil from a Silesian coal compared with Scholven coal over catalyst 7978.	951-957
16	Splitting of D.H.D. residues.	958-984
17	Aromatization of brown coal hydrogenation ore at 540 atm. over fuller's earth.	985-992
18	Testing of new saturation catalysts.	993-996
19	Effect of sulfurization during single stage 600 atm. splitting of bituminous coal middle oil over fuller's earth.	997-1001